

PEAK OF FLIGHT

N E W S L E T T E R



Feature Article:

How To Add New Items To Your RockSim Database

Other Features:

Reader Questions and Construction Tips

**Cover Photo: Aerotech Cheetah rocket.
To get one, visit:**

www.ApogeeRockets.com/Aerotech_Cheetah.asp

Apogee Components, Inc. — Your Source For Rocket Supplies That Will Take You To The “Peak-of-Flight”
3355 Fillmore Ridge Heights
Colorado Springs, Colorado 80907-9024 USA
www.ApogeeRockets.com e-mail: orders@apogeerockets.com

PEAK OF FLIGHT

How To Add New Parts To RockSim's Databases

By Tim Van Milligan

Marlin Meyer asks: "Where can I find help adding to the parts list in Rocksim 9?"

To be honest, there is no help manual for adding parts to the database. That is what this article is going to be about.

I think you'll find that it is easy to add a part into the RockSim database. Where the confusion comes in is that there are really three different ways to add parts to the database. Note that there were just two ways in older versions of RockSim (prior to version 8). We added the third way because people wanted a way to add a lot of parts at the same time. I'll discuss that as I describe the various methods.

Before I start telling you how to add parts into RockSim, I first want to let you know that there are multiple databases. There is one for each type of part, such as nose cones, body tubes, and fin shapes. Then there is the materials database, and finally the engine database. All told, there are 18 different databases in RockSim.

With so many databases, we wanted to make sure that people put the right parts into the correct database. It was originally possible to corrupt an entire database file by adding in the wrong type of part. The only way to purge the part was to reload the database file from the CD-ROM during the installation process. That used to happen a lot, and we wanted to prevent it.

The first method is actually our preferred method of adding parts into the databases, because it makes sure that the parts are added to the right database. Here's how it works.

Say you wanted to add a new nose cone shape to your RockSim database. You would start by creating the nose cone shape in RockSim, like you'd do if you were creating the part from scratch.

On every part-editor screen you'll see a tab along the top called "Database." When you click on the tab, you'll get a screen that shows some data about the part, such as the manufacturer, the part number, and a part description as shown in Figure 1. These data fields will be blank when you are creating your own part. And they should be self




Figure 1: Click on the "Database" tab on the top of any part editor screen so you can place your new component into the RockSim database. Then click on the "Save to Database" button.

explanatory. If I have to tell you what the "Manufacturer:" means, then you don't get the concept of a database that you can sort through later to find the parts you want to add to your design

I highly recommend that you fill out the three fields when you are creating your own parts that you want to add to the database. The reason is that finding and using your new part later will be much harder if they don't have names that you can search for.

For example, if I'm making a custom nose cone for my own use, I may set the manufacturer as "Home Made." It may not have a part number, but I definitely want to put something in the "Part Description" field so I can find it later.

Below the part description field are three buttons: "Choose from database," "Save to database," and "Mark as custom."

You want to click on the "Save to database button."

Continued on page 3

About this Newsletter

You can subscribe to receive this e-zine FREE at the Apogee Components web site (www.ApogeeRockets.com), or by sending an e-mail to: ezine@apogeeRockets.com with "SUBSCRIBE" as the subject line of the message.

Newsletter Staff

Writer: Tim Van Milligan
Layout / Cover Artist: Tim Van Milligan
Proofreader: Michelle Mason

PEAK OF FLIGHT

Continued from page 2

How To Add Parts To RockSim's Databases

"Choose from database" should be easy to understand. That is the button you'd click on if you wanted to choose a part that is already in the database.

"Mark as Custom" is clicked when you take an existing part from the database, and then modify it for your own use. Once you modify it, the part is really not the same thing that was in the database anymore. And if you printed out a parts list for your rocket, the parts list is really wrong for the part you modified. So clicking on the button will purge all the manufacturer data from the parts list. It will look like it has no manufacturer, part number, or part description.

But getting back to our task of adding the part to the database... When you click the "Save to database" button, it will bring up a screen that looks like Figure 2.

It looks like a spread sheet, but you can't edit any of

Part No.	Description	Length	Dia	Weight	Material
10	Apogee 29000 Main Nose Cone RNC-10 S	0.930	0.444	3.000	Polystyrene PS
11	Apogee 19000 Vac Form VNC-16 S	0.600	0.444	3.000	Polystyrene PS
12	Apogee 19000 VNC-10 S	0.600	0.444	3.000	Polystyrene PS
13	Apogee 19000 VNC-10 F-ALL Style	1.750	1.180	3.000	Polystyrene PS
14	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
15	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
16	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
17	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
18	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
19	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
20	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
21	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
22	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
23	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
24	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
25	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
26	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
27	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
28	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
29	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
30	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
31	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
32	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
33	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
34	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
35	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
36	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
37	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
38	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
39	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
40	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
41	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
42	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
43	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
44	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
45	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
46	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
47	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
48	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
49	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
50	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS

Figure 2: You'll get a second chance to enter your part's description prior to it going into RockSim's database. Enter a good description so you can find it easier when you want to use it later.

the fields. But at the bottom of the screen are those same three part description fields that we talked about before. This is your last chance to enter something into those fields before the part gets saved into the database. We put that in there twice, because we felt it was very important for you to have a good description that will make it easy to find the part later.

Once you click the "OK" button on this screen, the part will be saved into the database, and the screen will return to the parts editor.

If you want to check to be sure the part is in the database, you can click on the "Choose From Database" button. This will allow you to scroll through the list of available parts to find your new part. To make it easier, you can click on column headers at the top of the screen. This will sort the data in that column in either alphabetical or numerical

Part No.	Description	Length	Dia	Weight	Material
10	Apogee 29000 Main Nose Cone RNC-10 S	0.930	0.444	3.000	Polystyrene PS
11	Apogee 19000 Vac Form VNC-16 S	0.600	0.444	3.000	Polystyrene PS
12	Apogee 19000 VNC-10 S	0.600	0.444	3.000	Polystyrene PS
13	Apogee 19000 VNC-10 F-ALL Style	1.750	1.180	3.000	Polystyrene PS
14	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
15	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
16	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
17	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
18	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
19	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
20	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
21	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
22	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
23	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
24	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
25	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
26	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
27	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
28	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
29	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
30	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
31	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
32	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
33	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
34	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
35	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
36	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
37	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
38	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
39	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
40	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
41	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
42	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
43	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
44	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
45	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
46	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
47	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
48	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
49	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS
50	Aerospace Spec RNC201T T1-20 Beta Nose Cone T1T	2.500	0.793	2.000	Polystyrene PS

Figure 3: You can confirm your new part is in the database by clicking on the "Choose from database" button. The data can be sorted alphabetically or numerically by clicking on the header columns.

order. If you called your nose cone "Home Made" for the manufacturer, you should be able to sort the manufacturer column alphabetically and scroll down until you get to the

Continued on page 4



ROCKSIM
v9

**Your Cool Rocket Designs
Look So Much Better In
RockSim Version 9!**

Launch It.

www.RockSim.com

For further information, call Apogee Components at: 719-535-9335.






PEAK OF FLIGHT

Continued from page 3

How To Add Parts To RockSim's Databases

"H"s.

Is there a faster way?

Unfortunately, this basic method of adding parts to the databases is often seen as cumbersome by users of RockSim. A lot of people contacted us because they

wanted a way to add a lot of parts at one time.


From their perspective, just *two* new parts was considered "a lot."

So what I told them in the past is that they could actually edit the databases using a spreadsheet program, like Microsoft Excel (see Figure 4). And it is possible to do that.

	A	B	C	D	E	F	G	H	I	J	K	L	M
	Mfg.	Part No.	Desc.	Units	Length	Outer Dia	L/D Ratio	Insert Leng	Insert OD	Thickness	Shape	Config	Material
47	Estes	PNC-60AH		0	6.75	1.64	0	0.8	1.51	0.125	2	1	Polystyr
48	Estes	BNC-70AJ		0	4.4	2.22	0	0.75	2.09	0.125	2	1	G10 (PM
49	Estes	PNC-80K		0	8.15	2.6	0	1	2.48	0.125	1	1	Polystyr
50	Estes	PNC-80BB		0	4	2.6	0	1.75	2.48	0.125	2	1	Polystyr
51	Home Made		Von Karman sl	1	127	41.656	1	50.8	40.386	0.889	0	1	Polystyr
52	Public Missiles UNC-1.145		Urethane nose	0	6	1.27	4.7	1.5	1.15	0	0	0	Urethan
53	Public Missiles UNC-1.525		Urethane nose	0	8	1.6	5	1.5	1.48	0	0	0	Urethan
54	Public Missiles UNC-OG-1.5		Stratus nose	0	4.38	1.65	0	0.875	1.5	0	1	0	Urethan
55	Public Missiles PNC-2.15		Plastic nose c	0	9.5	2.3	4.2	1.75	2.17	0.125	1	1	Polystyr
56	Public Missiles PNC-2.56		Plastic nose c	0	11.2	2.7	4.2	2	2.58	0.125	1	1	Polystyr
57	Public Missiles PNC-3.00		Plastic nose c	0	13.2	3.1	4.2	2.5	2.98	0.125	1	1	Polystyr
58	Public Missiles PNC-3.90		Plastic nose c	0	16.8	4	4.2	3	3.88	0.125	1	1	Polystyr
59	Public Missiles FNC-6.00		Fiberglass nos	0	24	6.1	4.2	5.5	5.97	0.125	1	1	Fibergla
60	Public Missiles FNC-7.51		Fiberglass nos	0	29	7.7	4.2	6	7.58	0.125	1	1	Fibergla
61	Public Missiles FNC-11.41		Fiberglass nos	0	42	11.7	4.2	6	11.6	0.125	1	1	Fibergla
62	Public Missiles FNC-11.4HRP		Fiberglass nos	0	23	11.7	0	6	11.4	0.088	0	1	Fibergla
63	Public Missiles IC-2.1-1.1		Intellicone	0	9.5	2.3	4.2	3	2.17	0.125	1	1	Polystyr
64	Public Missiles IC-2.6-1.5		Intellicone	0	11.2	2.7	4.2	2	2.58	0.125	1	1	Polystyr
65	Public Missiles IC-3.0-2.1		Intellicone	0	13.2	3.1	4.2	2.5	2.98	0.125	1	1	Polystyr
66	Public Missiles IC-3.9-2.1		Intellicone	0	16.8	4	4.2	3	3.88	0.125	1	1	Polystyr
67	Quest	Quest	PNC35N	0	8.31	1.38	0	0.75	1.25	0.125	0	1	Polystyr
68	Quest	Quest	PNC35	0	4.12	1.38	0	0.75	1.25	0.125	2	1	Polystyr

Figure 4: While we don't advise it, you can also open up and edit the databases in a spreadsheet program like Microsoft Excel. It can be easy to corrupt a data file this way.

Continued on page 5



Model Rocket Design and Construction

By Timothy S. Van Milligan

New 3rd Edition Now Shipping!

This new 328 page guidebook for serious rocket designers contains the most up-to-date information on creating unique and exciting models that really work. With 566 illustrations and 175 photos, it is the ultimate resource if you want to make rockets that will push the edge of the performance envelope. Because of the number of pictures, it is also a great gift to give to beginners to start them on their rocketry future.

For more information, and to order this hefty book, visit the Apogee web site at: www.ApogeeRockets.com/design_book.asp

Apogee Components
3355 Fillmore Ridge Heights
Colorado Springs, Colorado 80907 USA

telephone: 719-535-9335
website: www.ApogeeRockets.com

Apogee
COMPONENTS

PEAK OF FLIGHT

Continued from page 4

How To Add Parts To RockSim's Databases

But it is not easy if you don't know what you are doing. This is where people would corrupt the database and have to reload RockSim to get them back to square one.

Our solution was to create our own spreadsheet editor, and merge it into RockSim. This way we could control better how parts were added to the database so that it didn't




Figure 5: Under the "Rocket" pull-down menu, you can directly edit the databases without going through the part editor screens.

get corrupted when something bogus was added in. This is the third method of adding parts.

To get to the database editor, you'll go up to the "Rocket" pull-down menu, and select "Edit Database." From there, you'll have a choice of which database to edit, as shown in Figure 5.

For example, if you choose to edit the nose cone database, you'll get something that looks like Figure 6 shown on the next page.

It does look like a spreadsheet, but all the columns are labeled so you know where to enter or modify the information.


To add a new item to any of the databases, you'll click on the button on the bottom of the screen called "Add new." It will put a blank line at the bottom of the list for you to start adding in your new data. After you put data in all the columns, you can click on the button again to add your next part.

One word of caution when entering data on a new part using the Database Editor. That is to watch your units. It is easy to get confused if you are using the wrong units and don't catch it until it is too late. Once you set the units, changing from mm to inches does not change the numbers

Continued on page 6

High-Power Reload Casings

- Reusable Rocket Motors Save Money
- Holds Aerotech's Reload Propellant
- Sizes: 24mm To 98mm Diameter
- Power Range: E Through N
- Cases For Any Project
- Rouse-Tech Quality
- Affordable!



www.ApogeeRockets.com

www.ApogeeRockets.com/Rouse-Tech_Monster_Motors.asp

PEAK OF FLIGHT

Continued from page 5

How To Add Parts To RockSim's Databases

you typed in (like it does on other screens). This is the one place that unit conversion doesn't take place just by changing the dimension units.

Also, there is no database editor for any of the different fin shapes, other than simple trapezoid/elliptical. The reason is that these are harder to define in a spreadsheet format. So if you want to save a custom shaped fin to the database, you have to do it by creating the part from scratch and saving it there (the first way to store new parts, listed previously).

Conclusion

Adding a new part to the RockSim software isn't hard. In fact, it is pretty straight forward once you think about it.

Additional Resources

How to add new motors to RockSim's engine database: See the video tutorials on the Apogee Web site at: www.Apogeerockets.com/RockSim_tutorials.asp

About The Author:

Tim Van Milligan (a.k.a. "Mr. Rocket") is a real rocket scientist who likes helping out other rocketeers. Before he started writing articles and books about rocketry, he worked on the Delta II rocket that launched satellites into orbit. He has a B.S. in Aeronautical Engineering from Embry-Riddle Aeronautical University in Daytona Beach, Florida, and has worked toward a M.S. in Space Technology from the Florida Institute of Technology in Melbourne, Florida. Currently, he is the owner of Apogee Components (<http://www.apogeerockets.com>) and the curator of the rocketry education web site: <http://www.apogeerockets.com/education/>. He is also the author of the books: "Model Rocket Design and Construction," "69 Simple Science Fair Projects with Model Rockets: Aeronautics" and publisher of a FREE e-zine newsletter about model rockets. You can subscribe to the e-zine at the Apogee Components web site or by send-

ing an e-mail to: ezine@apogeerockets.com with "SUBSCRIBE" as the subject line of the message.

Manufacturer	Part Number	Part Description	Dimension units	Lgt	Dia	Base Dia	Motor Length	Motor Diameter	Shape code	Shape name	Construction type
Estes	Redard IV		in	72.000	18.700	0.000	30.000	1.7500	0.0000	Parabolic	0.0000
Estes	WNC-5V		in	6.750	0.544	0.000	0.250	0.4394	Parabolic	0.0000	0.0000
Estes	WNC-5E		in	3.385	0.544	0.000	0.250	0.4394	Parabolic	0.0000	0.0000
Estes	WNC-5S		in	3.300	0.544	0.000	0.250	0.4394	Conical	0.0000	0.0000
Estes	WNC-5H		in	2.800	0.544	0.000	0.250	0.4394	Conical	0.0000	0.0000
Estes	WNC-20B		in	3.700	0.736	0.000	0.500	0.6112	Parabolic	0.0000	0.0000
Estes	WNC-20R		in	2.750	0.736	0.000	0.500	0.6112	Conical	0.0000	0.0000
Estes	WNC-20A		in	2.900	0.736	0.000	0.500	0.6112	Parabolic	0.0000	0.0000
Estes	WNC-20P		in	6.950	0.736	0.000	0.500	0.6112	Conical	0.0000	0.0000
Estes	WNC-5D1		in	3.375	0.676	0.000	0.500	0.6112	Parabolic	0.0000	0.0000
Estes	WNC-5D4		in	2.750	0.676	0.000	0.500	0.6112	Conical	0.0000	0.0000
Estes	WNC-5D6		in	2.750	0.676	0.000	0.500	0.6112	Conical	0.0000	0.0000
Estes	WNC-5D7		in	4.335	0.676	0.000	0.500	0.6112	Conical	0.0000	0.0000
Estes	WNC-55A		in	5.400	1.530	0.000	0.500	1.5004	Conical	0.0000	0.0000
Estes	WNC-55M		in	2.500	1.640	0.000	0.750	1.5104	Parabolic	0.0000	0.0000
Estes	WNC-55B		in	6.750	1.640	0.000	0.800	1.5104	Parabolic	0.0000	0.0000
Estes	WNC-70A		in	4.400	2.220	0.000	0.750	2.0904	Parabolic	0.0000	0.0000
Estes	WNC-80C		in	8.150	2.600	0.000	1.600	2.6804	Conical	0.0000	0.0000
Estes	WNC-80B		in	4.900	2.600	0.000	1.750	2.6804	Parabolic	0.0000	0.0000
Home Made	Van Farmer chum 5 inches		mm	127.000	41.656	3.175	30.800	40.2884	Conical	0.0000	0.0000
Public Misch UNC	1.14 Unifine nose cone		in	6.000	1.270	0.000	1.500	1.1504	Conical	0.0000	0.0000
Public Misch UNC	1.54 Unifine nose cone		in	8.000	1.600	0.000	1.500	1.4804	Conical	0.0000	0.0000
Public Misch UNC	OC-Stratus nose cone		in	4.380	1.650	0.000	0.875	1.5004	Conical	0.0000	0.0000
Public Misch UNC	2.11 Plastic nose cone		in	9.500	2.300	0.000	1.750	2.1704	Conical	0.0000	0.0000
Public Misch UNC	2.56 Plastic nose cone		in	13.200	2.700	0.000	2.600	2.1804	Conical	0.0000	0.0000
Public Misch UNC	3.00 Plastic nose cone		in	13.200	3.100	0.000	2.500	2.5804	Conical	0.0000	0.0000
Public Misch UNC	3.50 Plastic nose cone		in	16.800	4.000	0.000	3.600	3.6804	Conical	0.0000	0.0000
Public Misch UNC	4.00 Fiberglass nose cone		in	24.000	6.100	0.000	5.500	5.5704	Conical	0.0000	0.0000
Public Misch UNC	5.13 Fiberglass nose cone		in	26.000	7.700	0.000	6.600	7.1804	Conical	0.0000	0.0000
Public Misch UNC	11.47 Fiberglass nose cone		in	42.000	12.700	0.000	6.600	11.6004	Conical	0.0000	0.0000
Public Misch UNC	11.47 Fiberglass nose cone		in	23.000	13.700	0.000	6.600	11.6004	Conical	0.0000	0.0000

Figure 6: In RockSim's database editor, you can add a new part, delete an old one, or modify the part. Note: Changing the value of the units here will not convert them from one size to another.

GET THE BEST QUALITY TUBES AT THE BEST PRICE!



NEW MID-POWER TUBE ASSORTMENT

You get:

- (4) AT 29/13
- (4) AT 41/18
- (2) AT 56/18
- (2) AT 66/18
- (1) AC-56
- (1) AC-66

Price: \$22.72
You Save: \$5.17



THE CLASSIC TUBES-O-PLenty

You get:

- (6) AT 13/18
- (6) AT 18/18
- (6) AT 24/18
- (6) AT 33/18

Price: \$26.00
From Estes, you would spend over \$44.45!



http://www.ApogeeRockets.com/body_tubes.asp



**Yes...
We Have Engine
Mounts Too.**

www.apogeerockets.com/motor_mount_kits.asp

PEAK OF FLIGHT

Reader Questions And Construction Tips

By Tim Van Milligan

Removing Engine Blocks

Alan M. writes: *"The motor mount on one of my rockets is too short.*

It looks like I placed the engine block using a 124mm motor, instead of a 128mm motor (like the G80-4T I plan to use). I don't have any Aerotech reload casings. I installed an Aero Pac motor retainer.

Do you have any advice, or techniques for removing the engine block, or for extending the Aero Pac retainer, or for changing the motor retention mechanism?"

Hello Alan. Until the engine block ring is removed, changing the motor retention method is not going to work. That thing must be taken out of the rocket.

Unfortunately, taking an engine block out is a major chore. There really is no quick or easy way to do it. If you try to force it out by whacking it with a hammer and long dowel, you can easily break the entire engine mount. That would put you in a bigger mess.

The method I use is to take a heavy-duty (very rough) piece of sandpaper and glue it to a thick dowel and sand it out from the inside. It takes a while, and you have to be careful not to sand the inside surface of the tube. But it will

allow you to remove it completely.

My suggestion is that if you are using F and G motors (or bigger), leave the engine block out in future rockets. The engine block is built into the back end of the motor. Once you do that, you have a few more options of restraining the rocket motor. See the book Model Rocket Design and Construction, or our web site for more information (www.ApogeeRockets.com/education/motor_retention.asp).

When To Fill Tube Spirals?

Jeanne Smith asks: *"I was watching your how-to videos, and in Part 5 (http://www.apogeerockets.com/getting_started.asp), you show how to fill the spirals on the rocket tube after placing the fins. Wouldn't it be easier to fill those spirals before putting on the fins? Is there a reason to wait until after they are on? Thanks! My grandson is just starting to build rockets for 4-H and wants to learn as much as he can! We're watching the videos together and will soon order a few kits for next year's fair."*

If you do a good job at filling the spirals, you can do it prior to putting on the fins. If you leave the tube lumpy because you didn't sand off the filler adequately, then it is going to be harder to get a good fin glue-joint. What I mean

Continued on page 8

Pratt Hobbies GO BOX Launch Controller



- Launch controller for mid-power rockets.
- Hooks right up to your car's battery. No more dead AA batteries!
- Plenty of electricity to set off any type of rocket motor igniter.
- 24 foot cord, allows you to stand far back for launch safety.
- Audible continuity buzzer lets you know the circuit is armed and ready for launch.
- Flat-jaw alligator clips (for easy hook-up of igniter.)



Only
\$39.99
P/N 7705

Brought to you by:

Apogee
COMPONENTS

www.ApogeeRockets.com/go-box_controller.asp



PEAK OF FLIGHT

Continued from page 7

Reader Questions and Construction Tips

is that the tube will be uneven, and the fin won't sit flat on the surface and will require more patience to get it glued on securely.

I suppose it is a matter of builder-preference. I don't like finishing and painting. So I can tell by the time the fins are sealed and sanded and are ready to go on how much effort it will take to get a good finish. If it will take a lot of extra effort, I may forgo filling spirals.

I typically use a sandable paint primer to do the filling of the spirals too. If I fill the spirals first, then it means I'm putting on primer twice, which seems like extra effort. I'm looking to reduce the time spent finishing the rocket.

How to Apply Filler In Spirals

Mark Dibois writes: "Oh, a great thing I found for applying wood filler to the grooves in rocket tubes—Q-tips. They are soft enough to poke the filler in the gaps and small enough that you don't put on excess. Less sanding.. and like you, I am no fan of sanding."

Average Thrust Numbers Don't Make Sense?

Matt McDowell asks: "Looking at the motor data in Rocksim I noticed that the "average thrust" numbers don't always match the engine designation. For example an

Aerotech H123 shows an average thrust of only 81 Newtons. Shouldn't it be closer to 123 Newtons?"

I'm not sure the specifics on the H123. But in general, the motor name is not always accurate. Over the years, Aerotech has tweaked the propellant formulation and has had to recertify the motors. But the old motor name was popular with customers, so they kept the same name. In other words, old motors were phased out, and new ones were phased in. If the new name was completely different, just think of all the kit instructions that would have to be changed to reflect the new motor name. It would be a nightmare (for people like me that make kits that use Aerotech motors too). So to keep the confusion factor down, they reuse the old name.

Replacing Shock Cords: Revisited

Carl Kruger writes: "In response to the disengaged shock cord issue in newsletter 240, I recently had the same problem with my Estes Executioner. Since it's a large (2.6") diameter rocket I took the opportunity to build an ejection baffle. You can then pass a piece of kevlar cord through the forward bulkhead of the baffle, loop it around the tube and tie it off. Then install the baffle in your rocket. You get a better attachment point than the Estes-style mount and don't

Continued on page 9

High Power Tubes & Couplers

- Won't Shatter Like Brittle Phenolic Tubes!
- Super Smooth Surface With Tight Spirals
- Standard LOC Diameters Up To 6 inches
- Cut and Slot With Standard Tools
- No Fiberglass Wrap Needed
- Sands and Paints Easily
- Cheaper than Fiberglass

Blue Tube From
Always Ready
Rocketry

Apogee
COMPONENTS

www.ApogeeRockets.com/blue_tubes.asp

www.ApogeeRockets.com

PEAK OF FLIGHT

Continued from page 8

Reader Questions and Construction Tips

have to worry about chute wadding any more.

The other advice I would offer is to use a longer length of kevlar or shock cord so that it never actually pulls tight at ejection.

In a previous issue of your newsletter (www.ApogeeRockets.com/education/downloads/Newsletter234.pdf) you wrote about rocketry business ideas, one was a rocketry range box. Something that I have found useful is Planos 20 gauge shotgun shell cases (the yellow & black ones). Check your local sporting goods store. They are the perfect size to hold 18mm BP SU engines. Sometimes I have to clear some material out of the latch to get it to engage, then I label it with the engine designation I intend to store in it. They also have a compartment along one side to store igniters & plugs."

Pricing Question

Mark C. asks: "I have placed a couple orders with you here in the last month or so. I wanted to know if you would price match products offered by other vendors. As always I would like to keep my business with you for your great support and service. Please let me know, thank you."

I'm sorry, but we do not match prices offered by other vendors. There are vendors that artificially lower prices on

some items as a loss-leader. That means that they are willing to take a loss on the item in order to get a new lead (a potential customer).

This occurs a lot with new vendors that don't really know their costs of doing business. They typically find out the hard way that discounting is the number killer of a company. We've been around a long time (it's our 20th year in business!), and we plan on sticking around a long time to serve you and our other customers.

Another reason is that it is very expensive for us to provide that great support and service that you obviously love.

Providing good service is always expensive. While every company on the planet will tell you they have great customer service, very few will be able to define it for you. I take service very seriously, because one thing that annoys me is being on the receiving end of poor service. So I've taken it upon myself to make sure we provide the best service, and it unfortunately does cost a lot of money.

For example, I invest heavily in state-of-the-art software that I think will benefit our customers. For customers, one aspect of our service is that you can call us up and check on a list of items you may have ordered in the past. In fact, we review your past orders to see if we can save you money. There is a customer testimonial (posted on You-

Continued on page 10

Staging Electronics

- Designed to ignite the top motor in two-stage rockets.
- Provides an easy way to stage composite propellant motors

- Fires off igniters after a preprogrammed amount of time following liftoff

- G-switch senses liftoff and insures against a false launch-detection
- Small, lightweight design is great for skinny rockets
- Easy-to-use, and will fire off any igniter, including clusters!

Battery, battery connector, mounting board and igniter are not included.

www.ApogeeRockets.com/Staging_Timer.asp

www.ApogeeRockets.com

PEAK OF FLIGHT

Continued from page 9

Reader Questions and Construction Tips

Tube videos) where the customer describes how shocked he was that we were actually proactive about saving him money. You can view the video testimonial on our web site at the bottom of this web page: www.ApogeeRockets.com/sky_starter_set.asp

We had another other customer that called us up after his house burned down. He needed proof of his rocketry purchases to get reimbursed by his insurance company. It only took us a few seconds to spit them out of our system and email them to him.

I could give you example after example of other ways I invest money to make your buying experience as pleasant and trouble-free as possible. Things like continuous training of our staff on our products so that they can answer your questions and give you ideas that will save you money in the long run. Or how I spent several hundred dollars last week to reconfigure our warehouse to make sure we don't waste a second of time getting your order out the door.

I do not hide the fact that our prices are higher on some items than other vendors (see my statement about prices on my web site at: www.apogeerockets.com/about.asp). I believe that there is much more to value than getting the lowest price. Real "value" comes down to what you received for your money. Do other vendors give you a FREE newsletter like this one where they share ways to save you money on rocketry? Think about that...

In this sour economy where every dollar is hard to get, I

completely understand wanting to get your rocketry supplies at the lowest possible price. But I would have to cheat you out of high-value, a great experience and excellent customer service to be just like the other vendors. In that case, you probably wouldn't see a reason to support us over them.

If you want the lowest price, you probably should buy from someone else. If you want the best rocketry experience and the greatest value from the hard-earned money you spend, then I hope you'll see us as the obvious choice. I believe with 100% conviction that Apogee Components gives you the most bang for your buck. You can buy cheaper stuff at other vendors, but you don't get the same value you get when you shop at Apogee's store. We are the best value, period!




FREE Rocket Construction Videos

A new Apogee video every two weeks to help you become a better modeler!

You Tube www.ApogeeRockets.com/Rocketry_Video_tips.asp

Sim Your Rockets With The Confidence of 6-Degrees-of-Freedom

RS-PRO is a 6-degree-of-freedom rocket simulator to find the behavior of high-performance rockets. It picks up where RockSim leaves off:



- Speeds up to Mach 10
- Altitudes up to 392.7 miles
- Reads RockSim design files
- Create landing zone patterns in Google Earth
- See a 3D trajectory path
- Developed for university researchers and aerospace professionals.



www.ApogeeRockets.com/RS-PRO.asp

www.ApogeeRockets.com